

Academic Year (2021-22)

Department of Information Technology (Under Graduate Course) B.Sc.IT

**Question Bank**

**Semester – IV**

**Core Java( USIT401 )**

**Advanced Learners**

1. What will be the output of the following Java code?

```
class increment {  
    public static void main(String args[])  
    {  
        int g = 3;  
        System.out.print(++g * 8);  
    }  
}
```

- a) 25
- b) 24
- c) 32**
- d) 33

2. What is the numerical range of a char data type in Java?

- a) -128 to 127
- b) 0 to 256
- c) 0 to 32767
- d) 0 to 65535**

3. Which one is a valid declaration of a boolean?

- a) boolean b1 = 1;
- b) boolean b2 = 'false';
- c) boolean b3 = false;**
- d) boolean b4 = 'true'

4. What will be the output of the following Java code?

```
class booloperators {  
    public static void main(String args[])  
    {  
        boolean var1 = true;  
        boolean var2 = false;  
        System.out.println((var1 & var2));  
    }  
}
```

- a) 0
- b) 1
- c) true
- d) false**

5. Which of these can not be used for a variable name in Java?

- a) identifier
- b) keyword**

- c) identifier & keyword
- d) constant

6. What will be the output of the following Java program?

```
class c
{
    public void main( String[] args )
    {
        System.out.println( "Hello" + args[0] );
    }
}
```

- a) Hello c
- b) Hello
- c) Hello world
- d) Runtime Error**

7. Which of the following can be operands of arithmetic operators?

- a) Numeric
- b) Boolean
- c) Characters
- d) Numeric & Characters**

8. With  $x = 0$ , which of the following are legal lines of Java code for changing the value of  $x$  to 1?

- 1.  $x++$ ;
- 2.  $x = x + 1$ ;
- 3.  $x += 1$ ;
- 4.  $x =+ 1$ ;

- a) 1, 2 & 3
- b) 1 & 4
- c) 1, 2, 3 & 4**
- d) 3 & 2

9. Decrement operator,  $--$ , decreases the value of variable by what number?

- a) 1**
- b) 2
- c) 3
- d) 4

10. What will be the output of the following Java program?

```
class increment
{
    public static void main(String args[])
    {
        int g = 3;
        System.out.print(++g * 8);
    }
}
```

- a) 25

- b) 24
- c) 32
- d) 33

### Slow Learners

1. \_\_\_\_\_ can be defined as a template/blueprint that describes the behaviors/states that object of its type support.
  - a. **Class**
  - b. Objects
  - c. Methods
  - d. Variables
  
2. Names used for classes, variables and methods are called \_\_\_\_\_.
  - a. **Identifiers**
  - b. Variables
  - c. Data Types
  - d. Methods
  
3. For general-purpose use on desktop PCs, servers and similar devices \_\_\_\_\_ edition is used.
  - a. **Standard**
  - b. Enterprise
  - c. Mobile
  - d. Java Card
  
4. \_\_\_\_\_ provides a clear and concise way to represent one method interface using an expression.
  - a. **Lambda Expression**
  - b. Interface
  - c. Abstract Class
  - d. Class
  
5. \_\_\_\_\_ is used to refer to a method of functional interface.
  - a. Lambda Expression
  - b. **Method Reference**
  - c. Interface
  - d. Abstract class
  
6. ContainingClass::staticMethodName is the syntax of \_\_\_\_\_.
  - a. **Reference to a static method.**
  - b. Reference to an instance method of a particular object.
  - c. Reference to a constructor.
  - d. Reference to a class.
  
7. containingObject::instanceMethodName is the syntax of \_\_\_\_\_.
  - a. Reference to a static method.
  - b. **Reference to an instance method of a particular object.**
  - c. Reference to a constructor.
  - d. Reference to a class.

8. `ClassName::new` is the syntax of \_\_\_\_\_
- a. Reference to a static method.
  - e. Reference to an instance method of a particular object.**
  - f. Reference to a constructor.
  - g. Reference to a class.
9. \_\_\_\_\_ is a source code representation of a fixed value.
- a. Variables
  - b. Literals**
  - c. Class
  - d. Object
10. \_\_\_\_\_ is a sequence of characters.
- a. Strings**
  - b. Variables
  - c. Literals
  - d. Data types

### Assignments

1. What is the value stored in x in the following lines of Java code?

```
int x, y, z;  
x = 0;  
y = 1;  
x = y = z = 8;
```

- a) 0
- b) 1
- c) 9
- d) 8**

2. What is the value stored in x in the following lines of Java code?

```
int x, y, z;  
x = 0;  
y = 1;  
x = y = z = 8;
```

- a) 0
- b) 1
- c) 9
- d) 8**

3. Which of these access specifiers can be used for a class so that its members can be accessed by a different class in the different package?

- a) Public**
- b) Protected
- c) Private
- d) Friendly

4. Which of these selection statements test only for equality?

- a) if
- b) switch**
- c) if & switch
- d) if-else

5. Which of these are selection statements in Java?

- a) if()
- b) for()
- c) continue
- d) break

Introduction to Embedded System( USIT402 )

**Questions: Advanced Learner**

1. EDO, SD, DDR are types of \_\_\_\_\_
  - A. RAM
  - B. ROM
  - C. Flash
  - D. Cache
2. \_\_\_\_\_ is a system that automatically controls the speed of a motor vehicle.
  - A. Drive by wire
  - B. Lane assist
  - C. ECS
  - D. Cruise control
3. \_\_\_\_\_ has to be refreshed after each read operation
  - A. RAM
  - B. SRAM
  - C. DRAM
  - D. MRAM
4. When \_\_\_\_\_ Flash memories are to be read, the contents must first be paged into memory-mapped RAM
  - A. NOR
  - B. NAND
  - C. OR
  - D. XOR
5. 8031 has \_\_\_\_\_ ROM.
  - A. 0K
  - B. 4K
  - C. 8K
  - D. 16K
6. 8052 has \_\_\_\_\_ interrupt sources.
  - A. 6
  - B. 8
  - C. 4
  - D. 2
7. For 8051, \_\_\_\_\_ datatype is most appropriate.
  - A. Int
  - B. Char
  - C. Boolean

D. Sbit

8. 8051 microcontrollers have a \_\_\_\_\_ bit addressing bus.

- A. 16
- B. 32
- C. 64
- D. 128

9. If EA=\_\_\_\_\_, the microcontroller completely ignores internal program memory and executes only the program stored in external memory.

- A. 0
- B. 1
- C. 2
- D. 3

10. A compiler which produces the executable code to be run on a different platform is called a \_\_\_\_\_.

- A. Compiler
- B. cross-compiler
- C. Linker
- D. Cross Linker

#### **Questions: Slow Learner**

1. A technique that allows for simultaneous execution of parts, or stages, of instructions to more efficiently process instructions is called as

- A. Embedded system
- B. instruction pipelining
- C. Orthogonal Instruction set
- D. Non-orthogonal Instruction set

2. An embedded system can do \_\_\_\_\_ task

- A. multi task at a time
- B. two task
- C. specific task
- D. sometime multitask sometime single tas

3. An embedded system must have

- A. hard disk
- B. processor and memory
- C. operating system
- D. processor and input-output unit

4. Which of the following is not an example of a 'Small scale embedded System'?

- A. Electronic Barbie doll
- B. simple calculator
- C. Cell phone
- D. Electronic toy car

5. The \_\_\_\_\_ circuit brings the internal registers and the different hardware systems of the

- A. processor/controller to a known state and starts the firmware execution from the reset vector.

- B. Brownout protection
- C. Watchdog
- D. Reset

6. \_\_\_\_\_ prevents the processor/controller from unexpected program execution behaviour when the supply voltage to the processor/controller falls below a specified voltage.

- A. Brownout protection
- B. Watchdog
- C. Reset
- D. Oscillator

7. \_\_\_\_\_ is a hardware timer for monitoring the firmware execution. Depending on the internal implementation, the timer increments or decrements a free running counter with each clock pulse and generates a reset signal to reset the processor

- A. Brownout protection
- B. Watchdog
- C. Reset
- D. Oscillator

8. \_\_\_\_\_ is a ISO defined serial communication bus originally developed for the automotive industry.

- A. CAN
- B. LAN
- C. WAN
- D. MAN

9. The two kind of main memory are

- A. primary and secondary
- B. direct and sequential
- C. floppy disk and hard disk
- D. Primary and hybrid

10. PROM is also called as \_\_\_\_\_

- A. EPROM
- B. OTP NVM
- C. EEPROM
- D. OCP NVM

### Assignments

1. The job of the \_\_\_\_\_ is to combine multiple object files and resolve the unresolved symbols.

- A. Compiler
- B. Cross compiler
- C. Linker
- D. Cross Linker

2. A \_\_\_\_\_ contains a hardware interface between the host computer and the target embedded system.

- A. Remote Debugger
- B. Remote control
- C. Simulator

D. Emulator

3. Communication between the GDB frontend and debug monitor is \_\_\_\_\_-oriented and designed for transmission over a serial connection.

- A. Byte
- B. Char
- C. Bit
- D. Stream

4. Frontend remote debugger runs on the \_\_\_\_\_.

- A. host computer
- B. guest computer
- C. target host
- D. target processor

5. \_\_\_\_\_ can have multiple inputs (up to 100 even), each capable of detecting whether the electrical signal it is attached to is currently at logic level 1 or 0.

- A. Logic Analyzers
- B. Logic Simulator
- C. UART
- D. Buffer

#### Computer Oriented Statistical Techniques( USIT403 )

#### Software Engineering( USIT404 )

##### **Questions for Advanced Learners**

1. What is a Software ?

- a) Software is set of programs
- b) Software is documentation and configuration of data
- c) Software is set of programs, documentation & configuration of data
- d) Software is set of system application

2. What are attributes of good software ?

- a) Software maintainability
- b) Software functionality
- c) Software development
- d) Software maintainability & functionality

3. Which of these software engineering activities are not a part of software processes ?

- a) Software dependence
- b) Software development
- c) Software validation
- d) Software specification

4. Which of these is incorrect ?

- a) Software engineering belongs to Computer science
- b) Software engineering is a part of more general form of System Engineering
- c) Computer science belongs to Software engineering
- d) Software engineering is concerned with the practicalities of developing and delivering useful software

5. RAD stands for



- a) Relative Application Development
  - b) Rapid Application Development
  - c) Rapid Application Document
  - d) Rapid Application Design
6. Which one of the following is not functional requirement ?
- a) Maintainability
  - b) Portability
  - c) Robustness
  - d) dependability
7. \_\_\_\_\_ and \_\_\_\_\_ are the two issues of Requirement Analysis.
- a) Performance, Design
  - b) Stakeholder, Developer
  - c) Functional, Non-Functional
  - d) System and its attributes
8. Which of the following property does not correspond to a good Software Requirements Specification (SRS) ?
- a) Verifiable
  - b) Ambiguous
  - c) Complete
  - d) Traceable
9. Why is Requirements Management Important? It is due to the changes \_\_\_\_\_
- a) to the environment
  - b) in method
  - c) in customer
  - d) in fiscal policies
10. The UML supports event-based modeling using \_\_\_\_\_ diagrams.
- a) Deployment
  - b) Collaboration
  - c) State chart
  - d) Class

### **Questions for Slow Learners**

1. Some systems failure can result in significant economic losses, physical damage or threats to human life and such systems are called \_\_\_\_\_.
- a. critical systems
  - b. simple
  - c. difficult to understand
  - d. maintainable
2. Which one is not a type of safety critical system?
- a. Software Critical System
  - b. Safety Critical System
  - c. Mission Critical System
  - d. Business Critical System
3. \_\_\_\_\_ is defined as the chance of letdown-free operation over a quantified time in a given situation for a particular resolution.
- a. Dependability
  - b. Affordability
  - c. Reliability
  - d. Availability
4. \_\_\_\_\_ is defined as the chance that a system, at certain point of time, will be effective and able to carry the demanded services.

- a. Reliability
  - b. Availability
  - c. Affordability
  - d. Dependability
5. \_\_\_\_\_ is defined as an incorrect system state that can lead to system performance that is unpredicted by system consumers.
- a. System Failure
  - b. System Error
  - c. System Fault
  - d. System Crash
6. \_\_\_\_\_ is defined as an incident that happens at some point in time when the system does not bring a out as predictable by its customers
- a. System Error
  - b. System Crash
  - c. System Failure
  - d. System Fault
7. \_\_\_\_\_ is an instance of a fault-detection method.
- a. Software System
  - b. Processing System
  - c. File System
  - d. Debugging
8. Safety critical software is classified into \_\_\_\_\_ classes.
- a. One
  - b. Two
  - c. Three
  - d. Four
9. \_\_\_\_\_ is a system characteristic that imitates the capability of the system to safeguard itself from outside outbreaks that may be unintentional or deliberate.
- a. Transparency
  - b. Costing
  - c. Security
  - d. Maintenance
10. Which of the term is not related to Security?
- a. Safeguarding
  - b. Threats
  - c. Vulnerability
  - d. Exposure

### Assignments

1. Which subsystem implements the requirements Defined by the application?
- a) UI
  - b) DBMS
  - c) Application subsystem
  - d) Main system
2. What is a specific instance of a baseline or configuration item?
- a) Software
  - b) Configuration
  - c) Version
  - d) Status accounting
3. What is validating the completeness of a product?
- a) Identification

- b)Software
  - c)Auditing and reviewing
  - d)Status accounting
4. What is group with the responsibility for reviewing and approving changes to baselines?
- a)Software configuration item
  - b)Baseline
  - c)Configuration
  - d)Configuration control board
5. What is a collection of software elements treated as a unit for the purposes of SCM?
- a)Software configuration item
  - b)Baseline
  - c)Configuration
  - d)Configuration control board

### Computer Graphics and Animation ( USIT405 )

#### Questions: Advanced Learner

1. Which of the following is not a type of Polygon Clipping:
  - A. Sutherland-Hodgeman polygon clipping algorithm
  - B. line polygon clipping algorithm
  - C. Vatti clipping algorithm
  - D. Weiler-Atherton polygon clipping algorithm
2. Midpoint circle drawing algorithm is used to \_\_\_\_\_ the points for a circle.
  - A. rasterizing
  - B. pixel
  - C. initialize
  - D. octants
3. In a homogeneous coordinate system, 2D coordinate positions (x, y) are represented by \_\_\_\_\_ coordinates.
  - A. 2
  - B. 3
  - C. 4
  - D. 5
4. In Computer Graphics, \_\_\_\_\_ are the points at which lines appear to converge.
  - A. Appearing points
  - B. Disappearing points
  - C. Vanishing points
  - D. Advanced points
5. A viewing frustum is a \_\_\_\_\_ in a scene positioned relative to the viewport's camera
  - A. 3-D volume
  - B. 2-D image
  - C. 2-D area
  - D. 1-D point
6. For RGB 24-bit color system, each color coordinate can range from 0 to \_\_\_\_\_.
  - A. 15
  - B. 255
  - C. 127
  - D. 63
7. \_\_\_\_\_ is a technique in which hidden surfaces are not removed but displayed with effects such as intensity, color or shadow.
  - A. Depth Search
  - B. Upward search

- C. Downward Cueing
  - D. Depth Cueing
8. In the parametric equation of a horizontal hyperbola, the x co-ordinate is given as \_\_\_\_\_
- A.  $x = b \sec t$
  - B.  $x = a \operatorname{cosec} t$
  - C.  $x = a \sec t$
  - D.  $x = b \operatorname{cosec} t$
9. An animation, an autonomous character determines its own actions, at least to a certain extent.
- A. Keyframing
  - B. Procedural
  - C. Behavioural
  - D. Designing
10. GIF89a can also be specified for \_\_\_\_\_ presentation.
- A. interlaced GIF
  - B. raster
  - C. vector
  - D. scalar

**Questions:Slow Learner**

1. The Graphics cannot be
- A. Drawing
  - B. scalar
  - C. Simulation
  - D. Movies
2. Types of Computer graphics are
- A. Random and Raster
  - B. Scalar and Raster
  - C. Only Raster
  - D. Only Random
3. Translation vector ( $T_x, T_y$ ) is used in \_\_\_\_\_
- A. Scaling
  - B. Rotation
  - C. Reflection
  - D. Translation
4. \_\_\_\_\_ is a technique to change the shape of an object in a 2D plane.
- A. Scaling
  - B. Rotation
  - C. Reflection
  - D. Shearing
5. A point light emits light from a fixed point in space, called its \_\_\_\_\_
- A. Light
  - B. Rays
  - C. Position
  - D. Channel
6. Which describes the visible light on the human eye?
- A. Radiometry
  - B. Photometry
  - C. Colorimetric
  - D. Channel
7. If the normal vector is pointing away from the COP then it is on which face?
- A. Front

- B. Top
  - C. Back
  - D. Side
8. Back-Face detection, also known as \_\_\_\_\_ method.
- A. Plane equation
  - B. Visibility
  - C. Normal
  - D. Vector
9. A person who creates animations is called \_\_\_\_\_.
- A. designer
  - B. inventor
  - C. software developer
  - D. animator
10. The animator specifies critical or key positions for the objects in the process of?
- A. Simulation
  - B. frame by frame
  - C. Keyframing
  - D. Morphing

### Assignments

1. In a graphics defined system the primary output device is \_\_\_\_\_.
  - A. Scanner
  - B. Video monitor
  - C. Web Camera
  - D. Printer
2. How can we achieve shearing with respect to X axis in shearing.
  - A.  $X_{new} = X_{old} + Sh_x \times Y_{old}$
  - B.  $X_{new} = X_{old} + Sh_x \times X_{old}$
  - C.  $X_{new} = X_{old} + Sh_y \times Y_{old}$
  - D.  $X_{new} = Y_{old} + Sh_x \times Y_{old}$
3. 3D graphical projections constructed by mapping points in 3-dimensional space to points on a 2-dimensional projection plane is \_\_\_\_\_.
  - A. Lateral Projection
  - B. Planar Projection
  - C. Horizontal Projection
  - D. Vertical Projection
4. In Beizer Curve, the curve follows \_\_\_\_\_.
  - A. the shape of the defining polygon
  - B. the defining points
  - C. the starting point
  - D. the control points
5. \_\_\_\_\_ refers to the number of frames for a given action, which transforms to the speed of the action on film.
  - A. Image Processing
  - B. Pose to pose
  - C. Timing
  - D. Anticipation